TECHNICAL DATA SHEET



AEROSOLS



Cleaning and care

WIKO® COMPRESSED AIR SPRAY FLAMMABLE

WIKO® COMPRESSED AIR SPRAY FLAMMABLE contains flammable propellant gas for cleaning under pressure. The product is used where dirt or light impurities are hard to remove by common methods.

- Dry and non-contact cleaning with compressed air
- Outstanding suitability for sensitive surfaces
- Quick cleaning of inaccessible places and angles

Application areas

- Cleaning of inaccessible spots and corners like joints, gaps and cracks
- Used for highly sensitive surfaces
- Hi-Fi devices and CD or DVD players: modules, conductor plates, magnetic heads, drives, and many more
- Optics: cameras, lenses
- Clockwork and model making
- Computer keyboards and housings, electrical components
- Devices for medical technology and measuring technology

Sizes / article number

400 ml can

ADLB.D400

Application

Hold the aerosol can in a horizontal position! Do not tilt more than 30°. Position the spray nozzle towards designated parts and spray with short interruptions until no more dirt or dust is visible. Electrical appliances must be turned off before the cleaning process.

Storage & Durability

The shelf life is, at the optimum storage temperature of +5 °C to +25 °C in the closed original container, a maximum of 12 months. A higher storage temperature leads to a significantly lower durability. The storage temperature must not fall below +5 °C.

TECHNICAL DATA SHEET



Safety data sheets

Please refer to the current data sheet for safety relevant data. Click or scan here:



Note:

Please note the information and notes in our respective safety data sheets. The data contained herein are for informational purposes only and are believed to be accurate to the best of our knowledge. We assume no liability for the results. For optimum functionality of the adhesive system, please only use the cartridge and mixer systems tested and released by GLUETEC. The product is only suitable for professional and experienced users. It is the user's own responsibility to take precautions to protect property and people from the hazards that may be encountered in handling and using these products. Accordingly, GLUETEC specifically disclaims any warranty, expressed or implied, including any warranty or suitability commitments for a particular purpose. In particular, GLUETEC disclaims all liability for consequential or indirect damages of any kind.

www.gluetec-group.com/de